

INTERNATIONAL ARTICLES

1. M.Ertan, R.Ertan, H.Göker , U.Pindur., Studies on the Synthesis of Some Flavonoid Derivatives Possessing Spasmolytic Activity V. *Arch.Pharm. (Weinheim)* , 320, 1132, 1987. <http://onlinelibrary.wiley.com/doi/10.1002/ardp.198700021/pdf>
doi : 10.1002/ardp.198700021
2. R.Ertan, H.Göker, M.Ertan, U.Pindur., Synthesis of New Annulated Flavonoid Derivatives Possessing Spasmolytic Activity VII. *Arch.Pharm (Weinheim)*, 322, 237, 1989. <http://onlinelibrary.wiley.com/doi/10.1002/ardp.19893220409/pdf>
DOI: 10.1002/ardp.19893220409
3. H.Göker, R.Ertan., Studies on the Synthesis of Some Biologically Active Flavonoid Derivatives, *Die Pharmazie*, 45, 734, 1990. WOS: A1990EP59000005
4. H.Göker, R.Ertan, H.Akgün, N.Yulug., Synthesis and Antifungal Activity of Some New Benzimidazole Derivatives, *Arch.Pharm (Weinheim)* 324, 283, 1991. <http://onlinelibrary.wiley.com/doi/10.1002/ardp.19913240505/pdf>
DOI: 10.1002/ardp.19913240505
5. R.Ertan, H.Göker, M.Ertan, A.Beretz, J.P.Cazenave, M.Haag, R.Anton, Synthesis of Some Flavone Derivatives : Potent Inhibitors Human Platelet Aggregation, *Eur. J. Med. Chem*, 26,735, 1991. [https://doi.org/10.1016/0223-5234\(91\)90124-6](https://doi.org/10.1016/0223-5234(91)90124-6)
WOS : A1991GM52200009
6. H.Göker, M.Tunçbilek, G. Leoncini, E.Buzzi, M. Mazzei, Y. Rolland, R. Ertan, Synthesis and Inhibitory Activities on Platelet Aggregation of Some Flavonoid Analogues, *Arznm.Forschung* , 45(1), 2, 150-155, 1995 . WOS: A1995QJ57900010
7. H. Göker, C. Kus, U. Abbasoglu, Synthesis of 1,2,5(6)-Trisubstituted Benzimidazoles and Evaluation of Their Antimicrobial Activities, *Arch.Pharm (Weinheim)* 328, 425-430 (1995). <http://onlinelibrary.wiley.com/doi/10.1002/ardp.19953280506/pdf>
10.1002/ardp.19953280506
8. H. Göker, G. Ayhan., M. Tunçbilek, R. Ertan., G. Leoncini, R. Garzoglio., M. Mazzei. Synthesis and Antiaggregator Activity of Some New derivatives of 4H-1-benzopyran-4-one, *Eur J Med Chem*, 30, 561-567, 1995. [https://doi.org/10.1016/0223-5234\(96\)88270-5](https://doi.org/10.1016/0223-5234(96)88270-5)
10.1016/0223-5234(96)88270-5
9. H. Göker, S. Ölgen, R. Ertan, H. Akgün, S. Özbey, E. Kendi, G. Topçu. Synthesis of Some New Benzimidazole-5(6)-carboxylic Acids, *J. Heterocyclic Chem.* 32, 1767-1773, 1995. DOI: 10.1002/jhet.5570320617
<http://onlinelibrary.wiley.com/doi/10.1002/jhet.5570320617/pdf>
10. H. Göker, E. Tebrizli, U. Abbasoglu. Synthesis of 1,2-disubstituted Benzimidazole-5(6)-carboxamides and Evaluation of Their Antimicrobial Activity, *Farmaco*, 51, 53-58, 1996. WOS: A1996TX97000008

11. C. Kus, H. Göker, G. Ayhan, R. Ertan, N. Altanlar, A. Akin. Synthesis and Antimicrobial Activity of Some New Piperidinyl benzimidazoles, *Farmaco*, 51, 6, 413-417, 1996.
WOS: A1996UX13100005
12. M. Tuncbilek, H. Goker, R. Ertan, R. Eryigit, E. Kendi, N. Altanlar. Synthesis and Antimicrobial Activity of Some New Anilino Benzimidazoles, *Arch. Pharm. Pharm. Med. Chem.*, 330, 372-376, 1997. 10.1002/ardp.19973301203
<http://onlinelibrary.wiley.com/doi/10.1002/ardp.19973301203/pdf>
13. S. Ozbey, E. Kendi, H. Goker, R. Ertan. {2-(2-Ethoxycarbonyl)-1,4-benzodioxan-7-yl}-4H-1-benzopyran-4-one. *Acta Crystallogr. C53*, 1981-1983, 1997.
[doi:10.1107/S0108270197009864](https://doi.org/10.1107/S0108270197009864)
14. E. Kendi, S. Ozbey, M. Tuncbilek, H. Goker . 1-Benzyl-2-(2,6-dichloro-1-anilinomethyl)-1H-benzimidazole. *Acta Crystallogr. C54*, 854-856 ,1998.
[doi:10.1107/S0108270197019331](https://doi.org/10.1107/S0108270197019331)
15. H. Goker, M. Tuncbilek, G. Ayhan, N. Altanlar. Synthesis of Some New Benzimidazolecarboxamides and Evaluation of Their Antimicrobial Activity. *Farmaco*, 53, 415-420, 1998. 10.1016/S0014-827X(98)00045-7
https://ac.els-cdn.com/S0014827X98000457/1-s2.0-S0014827X98000457-main.pdf?_tid=8417a35c-eb3a-11e7-a41d-00000aab0f26&acdnat=1514402401_59d083c80d02709a8037572c4457a2cd
16. S. Ozbay, E. Kendi, H. Goker, M. Tuncbilek. The structure of 1-(p-fluorophenylmethyl)-2-(4-methyl-1-piperazinyl)-1H-benzimidazole hydrogen fumarate. *J. Chem. Crystallogr.*, 28 (6), 461-464, 1998. <https://doi.org/10.1023/A:1021720706126>
<http://www.springerlink.com/content/qq02832h56369476/fulltext.pdf>
17. E.Kendi, S.Ozbay, H.Goker. 2,5-Dichloro-1-(p-chlorobenzyl)-1H-benzimidazole. *Acta Crystallogr.C55*, 243-245, 1999. [doi:10.1107/S0108270198011196](https://doi.org/10.1107/S0108270198011196)
18. M.M. Candan, E. Kendi and H. Göker 4-Chloro-N-(p-fluorobenzyl)-2-nitroaniline. *Acta Crystallogr.C55*, 825, 1999. [doi: 10.1107/S0108270199001456](https://doi.org/10.1107/S0108270199001456)
19. H. Göker, G. A.Kilcigil, M. Tuncbilek, C. Kus, R. Ertan, E. Kendi, S. Özbey, M. Fort, C. Garcia,and A. J. Farré. Synthesis and Antihistaminic H1-Activity of 1,2,5(6)-Trisubstituted Benzimidazoles. *Heterocycles*, 51(11), 2561-2573, 1999.
DOI: 10.3987/COM-99-8585
20. G. A.Kilcigil, M. Tuncbilek, N. Altanlar, H. Göker, Synthesis and antimicrobial activity of some new benzimidazole carboxylates and carboxamides. *Farmaco*, 54, 562-565, 1999. 10.1016/S0014-827X(99)00059-2
https://ac.els-cdn.com/S0014827X99000592/1-s2.0-S0014827X99000592-main.pdf?_tid=d378ad80-eb38-11e7-b353-00000aab0f6c&acdnat=1514401676_c31c0e01002777f16d21f46e76bff915

21. S. Özcan, E. Kendi, M. Tunçbilek, H. Göker, Methyl -(4-chlorobenzyl)-2-(4-methylpiperazin-1-yl)-1H-benzimidazole-5-carboxylate hemihydrate *Acta Cryst. C* 56, 459-460, 2000. doi:10.1107/S0108270100000032 <http://scripts.iucr.org/cgi-bin/paper?fr1230>
22. S. Özden, A.M. Öztürk, H. Göker, N. Altanlar, Synthesis and Antimicrobial Activity of Some New 4-Hydroxy-2H-1,4-benzoxazin-3(4H)-ones. *Farmaco* 55(11-12), 715-718, 2000. DOI : 10.1016/S0014-827X(00)00098-7
https://ac.els-cdn.com/S0014827X00000987/1-s2.0-S0014827X00000987-main.pdf?_tid=4f1ceefc-eb38-11e7-ba98-00000aab0f6b&acdnat=1514401462_a53949588c0ab2d4146c1cf467a597b6
23. H. Göker , S. Süzen, C. Kus, D.W. Boykin . Synthesis of New 2-aryl-4H-4-oxo-1-Benzopyran oxime Ethers. *Heterocyclic Communications* 6, 385-390, 2000. WOS: 000166101800001 <https://doi.org/10.1515/HC.2000.6.5.385>
24. H Göker, M. Tunçbilek, S. Süzen, C. Kus, N. Altanlar, Synthesis and Antimicrobial Activity of Some New 2-Phenyl-N-substituted Carboxamido-1H-benzimidazole Derivatives, *Arch. Pharm. Pharm. Med. Chem* 334, 148-152 , 2001.
[http://onlinelibrary.wiley.com/doi/10.1002/1521-4184\(200105\)334:5%3C148::AID-ARDP148%3E3.0.CO;2-S/pdf](http://onlinelibrary.wiley.com/doi/10.1002/1521-4184(200105)334:5%3C148::AID-ARDP148%3E3.0.CO;2-S/pdf)
10.1002/1521-4184(200105)334:5<148::AID-ARDP148>3.0.CO;2-S
25. S. Özbey, C. Kus, H.Göker , Crystal structure of 1-Cyclopropyl-2-ethyl-5-fluoro-6-(4-methyl-piperazin -1-yl)-1H-benzimidazole, *Analytical Sciences*, 17(8), 1019-1020, 2001 .
<https://doi.org/10.2116/analsci.17.1019>
26. C. Kus, H.Göker , N. Altanlar, Synthesis and Antimicrobial Activities of 5-Fluoro-1,2,6-Trisubstituted Benzimidazole Carboxamide and Acetamide Derivatives, *Arch. Pharm. Pharm. Med. Chem*, 334, 361-365, 2001.
[http://onlinelibrary.wiley.com/doi/10.1002/1521-4184\(200112\)334:11%3C361::AID-ARDP361%3E3.0.CO;2-9/pdf](http://onlinelibrary.wiley.com/doi/10.1002/1521-4184(200112)334:11%3C361::AID-ARDP361%3E3.0.CO;2-9/pdf)
27. D.W. Boykin, H.Göker , Ring Cleavage of dicyano-substituted benzimidazoles by DIBAL, *Heterocyclic Communications*, 7, 529-534, 2001. WOS: 000174495200004 <https://doi.org/10.1515/HC.2001.7.6.529>
28. H. Göker, C. Kus, D.W. Boykin, S. Yildiz, N. Altanlar, Synthesis of some new 2-substituted-phenyl-1H- benzimidazole-5-carbonitriles and their potent activity against *Candida* species, *Biorg. Med. Chem.* 10, 2589-2596, 2002.
[https://doi.org/10.1016/S0968-0896\(02\)00103-7](https://doi.org/10.1016/S0968-0896(02)00103-7)
29. C. Kus, H Göker, D.W. Boykin, Synthesis of Some New N-Isopropylamidinobenzimidazoles as potential topoisomerase inhibitors, *Heterocyclic Communications*. 8, 215-220, 2002. WOS: 000177803900001
<https://doi.org/10.1515/HC.2002.8.3.215>

30. S. Özbey, F.B. Kaynak, C. Kus, H. Göker, 2-(2,4-Dichlorophenyl)-5-fluoro-6-morpholin-4-yl-1H-benzimidazole monohydrate, *Acta Cryst. E* 58, o1062-o1064, 2002.
<http://dx.doi.org/10.1107/S1600536802015842>

31. M.D.Givens, C.C.Dykstra, K.V.Brock, D.A.Stringfellow, A.Kumar, C.E.Stephens, H. Göker, D.W.Boykin, Detection of inhibition Bovine Viral Diarrhea Virus by Aromatic Cationic Molecules, *Antimicrobial Agents and Chemotherapy*, 47(7), 2223-2230, 2003.
<http://aac.asm.org/cgi/reprint/47/7/2223> DOI: 10.1128/AAC.47.7.2223-2230.2003

32. C.Kazak, H.Göker and S. Ide 2-Acetylphenyl 5-methylthiophene-2-carboxylate *Acta Cryst.*, 2003. E59, o1362-o1363.
<http://dx.doi.org/10.1107/S1600536804011468>

33. C. Kazak, V. Yilmaz, H. Göker, C. Kus 1-n-Butyl-2-(4'-Fluorophenyl)-1H-benzimidazole-6-carbonitrile, *Acta Cryst.* 2004. E60, m819-m821.
<http://dx.doi.org/10.1107/S1600536804011468>

34. S. Özden., H. Karatas., S. Yildiz., H. Goker. Synthesis and Potent Antimicrobial Activity of Some Novel 4-(5,6-Dichloro-1H-benzimidazole-2-yl)-N-substituted benzamides, *Arch. Pharm. Pharm. Med. Chem.* 2004, 337, 556-562. DOI 10.1002/ardp.200400884
<http://onlinelibrary.wiley.com/doi/10.1002/ardp.200400884/pdf>

35. B. Arslan, C. Kazak, H. Göker, 2,6-Dimethyl-4H-1-benzopyran-4-one, *Acta Cryst.*, 2004. E60, o2238-o2240. doi:10.1107/S1600536804027989

36. S. Özbey, F.B. Kaynak., H. Göker, C. Kus. Synthesis and crystal structure elucidation of 1-(4-fluorobenzyl)-2-(4-cyanophenyl)-1H-benzimidazole-5-carbonitrile, *J. Chem. Cryst.* 34 (12), 2004. <http://www.springerlink.com/content/n154rq288v3q4747/fulltext.pdf>
<https://doi.org/10.1007/s10870-004-7718-0>

37. H. Göker., D. Boykin., S. Yildiz. Synthesis and Potent Antimicrobial activity of Some Novel 2-Phenyl or Methyl-4H-1-Benzopyran-4-ones carrying amidinobenzimidazoles, *Bioorg. Med. Chem.*, 13, 2005, 1707-1714. doi:10.1016/j.bmc.2004.12.006

38. S. Özden., D. Atabey, S.Yildiz, H. Göker, Synthesis and Potent Antimicrobial activity of Some Novel Methyl or Ethyl 1H-Benzimidazole-5-carboxylates derivatives carrying amide or amidine groups, *Bioorg. Med. Chem.* 13, 2005, 1587-1597.
doi:10.1016/j.bmc.2004.12.025

39. H. Göker , S. Ozden, S. Yildiz, D. Boykin, Synthesis and Potent Antibacterial Activity against MRSA of Some Novel 1,2-Disubstituted-1H-Benzimidazole-N-alkylated-5-carboxamidines, *Eur. J. Med. Chem* , 40, 2005, 1062-1069.
doi: 10.1016/j.ejmech.2005.05.002

40. H. Göker, M. Alp, S. Yildiz, Synthesis & Potent Antimicrobial Activity of Some Novel N-(Alkyl)-2-Phenyl-1H-Benzimidazole-5-carboxamidines, *Molecules*, 2005, 10, 1377-1386. <http://www.mdpi.com/1420-3049/10/11/1377/pdf> doi: 10.3390/10111377
41. Z. Ates-Alagöz, M. Alp, C. Kus, S. Yildiz, E. Buyukbingöl, H. Göker, Synthesis and Potent Antimicrobial Activities of Some Novel Retinoidal Monocationic Benzimidazoles, *Arch. der. Pharm.* 2006, 339, 74-80. DOI 10.1002/ardp.200500168 <http://onlinelibrary.wiley.com/doi/10.1002/ardp.200500168/pdf>
42. C. Kazak, V.T. Yilmaz, H. Göker, C. Kus, Synthesis and molecular structures of 1-n-butyl-2-(3'-chlorophenyl)-1H-benzimidazole-5-carbonitrile hemihydrate and 1-n-butyl-2-(3',4'-dimethoxyphenyl)-1H-benzimidazole-5-carbonitrile, *Cryst. Res. Technol.* 2006, 41, 528-532. <http://onlinelibrary.wiley.com/doi/10.1002/crat.200510617/pdf> DOI 10.1002/crat.200510617
43. Ö.Ö.Güven, T. Erdogan, H. Göker, S. Yildiz, Synthesis and antimicrobial activity of some novel phenyl and benzimidazole substituted benzyl ethers, *Bioorg. Med. Chem. Lett.* 2007, 17, 2233-2236. Doi: 10.1016/j.bmcl.2007.01.061
44. Ö.Ö.Güven, T. Erdogan, H. Göker, S. Yildiz, Synthesis and antimicrobial activity of some novel Some Novel Furyl and benzimidazole substituted benzyl ethers, *J. Heterocyclic Chem.*, 2007, 44, 731-734. Doi: 10.1002/jhet.5570440336 WOS:000246673900036 <http://onlinelibrary.wiley.com/doi/10.1002/jhet.5570440336/pdf>
45. S. Ozden, D. Atabey, S. Yildiz, H. Göker, Synthesis, Potent anti-Staphylococcal Activity and QSARs of Some Novel 2-Anilinobenzazoles, *Eur. J. Med. Chem.* 2008, 43, 1390-1402. <http://www.sciencedirect.com/science/article/pii/S022352340700390X> Doi: 10.1016/j.ejmech.2007.10.009
46. M. Alp, H. Göker, R. Brun, S. Yildiz, Synthesis and antiparasitic and antifungal evaluation of 2'-Arylsubstituted-1H,1'H-[2,5]bisbenzimidazolyl-5-carboxamidines, *Eur. J. Med. Chem.*, 2009, 44, 2002-2008. Doi: 10.1016/j.ejmech.2008.10.003 <http://www.sciencedirect.com/science/article/pii/S0223523408004728>
47. H. Göker, M. Alp, Z. Ates-Alagöz, S. Yildiz, Synthesis and Potent Antifungal Activity against *Candida* species of Some Novel 1H-benzimidazoles, *J. Heterocyclic Chem.* 2009, 46, 936-948. Doi: 10.1002/jhet.179 <http://onlinelibrary.wiley.com/doi/10.1002/jhet.179/pdf>
48. M.O. Püsküllü, S. Yıldız, H. Göker, Synthesis and Antistaphylococcal Activity of N-substituted-1H-benzimidazole-sulphonamides, *Archiv der Pharmazie*, 2010, 343, 31-39. <http://onlinelibrary.wiley.com/doi/10.1002/ardp.200900199/full> Doi: 10.1002/ardp.200900199
49. H. Göker, M. Coşkun, M. Alp, Isolation and identification of a new acetildenafil analogue used to adulterate a dietary supplement: dimethylacetildenafil, *Turk. J. Chem.*, 2010, 34, 157-164. Doi : 10.3906/kim-1002-25 <http://journals.tubitak.gov.tr/chem/issues/kim-10-34-2/kim-34-2-1-1002-25.pdf>

50. S. Özden, F. Usta, N. Altanlar, H. Göker, Synthesis of Some New 1*H*-Benzimidazole-2-carboxamido derivatives and their antimicrobial activity, *J. Heterocyclic Chem.*, 2011, 48,1317-1322. Doi: 10.1002/jhet.734
<http://onlinelibrary.wiley.com/doi/10.1002/jhet.734/full>
51. H. Karataş, M. Alp, S.Yildiz, H. Göker, Synthesis and Potent in vitro activity of Novel 1*H*-Benzimidazoles as anti-MRSA agents. *Chem Biol Drug Res.*, 2012; 80, 237–244.
doi: 10.1111/j.1747-0285.2012.01393.x
52. H. Göker, C. Karaaslan, S. Yildiz, Synthesis, Potent Antifungal and Antistaphylococcal Activities of Some New 2-Anilinobenzimidazoles, *Z. Naturforsch.* 2012; 67c, 486 – 494.
<http://www.znaturforsch.com/s67c/s67c0486.pdf> . WOS:000312686500007
53. M. Alp, M. Coskun, H. Göker, Isolation and identification of a new Sildenafil analogue adulterated in Energy Drink : Propoxyphenyl sildenafil, *J Pharm. Biomed. Anal.*, 2013 ; 72, 155– 158. <http://dx.doi.org/10.1016/j.jpba.2012.09.017>
54. M. Alp, H. Göker, T. Ozkan, A. Sunguroglu, Synthesis and Cytotoxic Evaluation of Novel N-Substituted Amidino-1-hydroxybenzimidazole Derivatives, *Archiv. Pharmacol. Research* 2014, 37(5), 580-587. DOI : 10.1007/s12272-013-0197-0
<https://link.springer.com/article/10.1007%2Fs12272-013-0197-0>
55. M. Alp, H. Göker, N. Altanlar, Synthesis and antimicrobial activity of novel-2-[4-(1*H*-benzimidazol-1-yl)phenyl]-1*H*-benzimidazoles, *Turkisch J. Chem.*, 2014, 38, 152-156.
<http://journals.tubitak.gov.tr/chem/issues/kim-14-38-1/kim-38-1-15-1303-81.pdf>
Doi : 10.3906/kim-1303-81
56. M.O.Püsküllü, S. Yildiz, Y. Duydu, A. Üstündag, H. Göker, Synthesis and potent antistaphylococcal activity of some new 2-[4-(3,4-dimethoxyphenoxy)phenyl]-1,N-disubstituted-1*H*-benzimidazole-5-carboxamidines, *J Enzym Inhib. Med. Chem.* 2015, 30, 173-179. DOI : 10.3109/14756366.2014.899593
57. C.A. Rice, B.L. Colon, M. Alp, H. Göker, D.W. Boykin, D.E. Kyle, Bis-Benzimidazole Hits against *Naegleria fowleri* Discovered with New High-Throughput Screens, *Antimicrob. Agents Chemother*, 2015, 59, 2037-2044. doi:10.1128/AAC.05122-14
58. A.S. Gurkan, H. Göker, M. Alp, T. Ozkan, A. Sunguroglu, Synthesis and anticancer effects of some novel 2-(4-phenoxyphenyl)-1*H*-benzimidazole derivatives on K562 cell line, *Archiv. Pharmacol. Research* 2015, 38,650-658. DOI : 10.1007/s12272-014-0438-x
59. M.O. Püsküllü, C. Karaslan, F. Bakar, H. Göker, Synthesis and potent cytotoxicity of some novel imidazopyridine derivatives against MCF-7 human breast adenocarcinoma cell line, *Chem. Heterocyclic Comp.* 2015, 51(8), 723-733. DOI : 10.1007/s10593-015-1765-7

60. H. Göker, C. Karaslan, M.O. Püsküllü, S. Yildiz, Y. Duydu, A. Ustundağ, C.O.Yalçın, Synthesis and in Vitro Activity of Polyhalogenated 2-phenylbenzimidazoles as a New Class of anti-MRSA and Anti-VRE Agents, *Chem Biol Drug Des*, 2016, 87, 57-68. DOI : 10.1111/cbdd.12623 <http://onlinelibrary.wiley.com/doi/10.1111/cbdd.12623/full>
61. F. Doganc, M. Alp, H. Göker, Separation and identification of the mixture of 2-(3,4-dimethoxyphenyl)-1-*n*-propyl or (4-chlorobenzyl)-5 and (6)-1*H*-benzimidazolecarbo-nitriles, *Magnetic resonance in Chemistry*, 2016, 54, 851-857. DOI : 10.1002/mrc.4463
62. C. Karaslan, M. Kaiser, R. Brun, H. Göker, Synthesis and Potent Antiprotozoal Activity of Mono/Di amidino Anilinobenzimidazoles versus Plasmodium falciparum and Trypanosoma brucei rhodesiensis, *Bioorg. Med. Chem.* 2016, 24, 4038-4044. <http://dx.doi.org/10.1016/j.bmc.2016.06.047>
63. C. Karaslan, H. Göker, Total Structural Elucidation of Erlotinib and Gefitinib by Mainly 2D-Rotating Frame Overhauser Effect Spectroscopy (2D ROESY MR), *Chemical Science Transactions* 2017, 6(2),189-198. DOI:10.7598/cst2017.1330
64. Y.D. Aracagök, H. Göker, N. Cihangir, Biodegradation of micropollutant naproxen with a selected fungal strain and identification of metabolites, *Zeitschrift für Naturforschung C*, 2017, 72,173-179. DOI : 10.1515/znc-2016-0162
65. C. Karaaslan, F. Bakar and H. Goker, Antiproliferative activity of synthesized some new benzimidazole carboxamidines against MCF-7 breast carcinoma cells, *Zeitschrift für Naturforschung C*, 73,137-145,2018. <https://doi.org/10.1515/znc-2017-0067>
66. Y.D. Aracagök, H. Göker, N. Cihangir, Biodegradation of diclofenac with fungal strains. *Archives of Environmental Protection*, 44(1), 54-61,2018.

Book Chapter :

H. Göker, M. Coşkun, G:Ayhan-Kilcigil, *Chromatography and its applications* Section 3: Chromatographic separation of Sildenafil and Yohimbine Analogues Illegally Added in Herbal Supplements, 2012 , 51-68 (Intech Press) (9 citation)

http://cdn.intechopen.com/pdfs/32739/InTech-Chromatographic_separation_and_identification_of_sildenafil_and_yohimbine_analogues_illegally_added_in_herbal_supplements.pdf